







CITY OF FAIRBURN, GEORGIA WHEELCHAIR RAMP DETAILS



WARNING GROOVES- CONCRETE COLORING MATERIAL
 DRY-SHAKE DUST OR COLOR HARDENER FOR SIDEWALK GROOVES SHALL BE AS MANUFACTURED BY LAMBERT CORPORATION, 20 N. COBURN AVE., ORLANDO, FL 32805, PHONE (407) 841-2940, UNDER THE NAME LAMBERT COLORBRITE, OR APPROVED EQUAL.

GENERAL NOTES

1. SIDEWALK INSTALLATION SHALL MEET THE REQUIREMENTS OF THE "UNIFORM FEDERAL ACCESSIBILITY STANDARDS" (UFAS) AND THE "AMERICAN DISABILITY ACT OF 1991", AND THE "GEORGIA ACCESSIBILITY CODE" LATEST EDITION.
2. ALL SIDEWALK AND WHEEL CHAIR RAMP LANDINGS SHALL BE A MINIMUM OF 4'-0" IN WIDTH.
3. CONSTRUCTION JOINTS, WITH 1/2" PREMOULDED JOINT MATERIAL, ARE REQUIRED AT ALL BREAKS IN GRADE ON ALL RAMPS.

NOTE: CONSTRUCTION JOINT WITH 1/2" PREMOULDED JOINT MATERIAL REQUIRED AT ALL BREAKS IN GRADE ON RAMP.

DATE: 01/04/05
 DETAIL NO. R002